BBMP

BRUHAT BANGALORE MAHANAGAR PALIKE

BAR CHART/DRAWINGS
FIRST & PART BILL

IMPROVEMENTS TO ROADS, DRAINS AND OTHER DEVELOPMENTAL WORKS

PACKAGE - 01

Name of Work: Improvements to roads, drains and other developmental works in ward no- 02 & 03 under road development head in Chief Minister Nava Nagarothan grants of Yelahanka division. (Package -01)

Bruhat Bangalore Mahanagara Palike (BBMP)

Name of Work :- Improvements to roads, drains and other developmental works in ward no- 02 & 03 under road development head in Chief Minister Nava Nagarothan grants of Yelahanka division. (Package -01)

Sl No	Description of Work	Unit	BOQ Qty	Executed Qty
1	KSRRB Clearing and grubbing road land including uprooting rank vegetation, grass, bushes, shrubs, saplings and trees girth up to 300 mm, by manual means, in area of light jungle, removal of stumps, disposable of unserveacable materials, stacking of serviceable materials labour charges complete as per specifications. MORTH / chapter 2	Sqm	7900	7898.63
2	Removing and resetting of footpath slab	Sqm	4686.00	4685.10
3	Removing and resetting of kerb stone	m	3424.00	980.00
4	KSRRB M200-12.1. Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts complete as per specifications. i) Lime/Cement concrete I/ By Manual Means A. Lime concrete, cement concrete grade M-10 and below MORTH Specification No. 202	cum	123.80	123.30
5	Earthwork Excavation by manual means for roads, drains & similar works in ordinary soil excavated surface levelled and sides neatly dressed, the disposed earth to be levelled neatly after breaking of clods complete as per specifications and as per directions of the Engineer-in-charge of the work	cum	6206.86	5690.96
6	KSRB 4-1.2: Providing and laying in position plain cement concrete of Mix 1:3:6 with OPC@ 220 kgs, with 40mm and down size graded granite metal course aggregates@ 0.892 cum and fine aggregates @ 0.465cum machine mixed, concrete laid in layers not exceeding 15cms thick well compacted, in foundation including cost of all materials, labour, HOM curing complete as per specifications. Specification No. KBS 4.1,4.2	cum	984.41	884.87
7	Providing TMT Bars Fe 500 steel reinforcement for RCC work including straightening, cutting, bending, hooking, placing in position, lapping and/or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design (laps, hooks and wastage shall not be measured and paid) cost of materials, labour, HOM complete as per specification and as per directions of the Engineer in charge of work	MT	134.05	121.87
8	Providing and laying plain/reinforced cement concrete for side drains walls & bottom thickness 15cm using M20 nominal mix concrete with OPC at 300 kgs with 20mm and down size granite metal course aggregates at 0.69 cum and fine aggregates at 0.43 cum machine mixed, well compacted for walls and bottom including centering, shuttering, cost of materials, HOM of machinery, curing etc complete excluding cost of material as per MORTH specification No. 1500,1700,2200 including cost of materials, labour, HOM complete as per specifications	cum	2175.48	1992.62
	Providing and laying in position plain cement concrete of mix 1:2:4 with cement @ 240kgs, with 20mm and down size graded granite metal course aggregates @ 0.69			

Sl No	Description of Work	Unit	BOQ Qty	Executed Qty
9	cum and line aggregates @ 0.459 cum, machine mixed, concrete laid in layers not exceeding 15 cms. thick, well compacted, for coping. Including cost of materials, labour, HOM complete as per specifications	cum	80.00	0.00
10	Providing and fixing precast reinforced concrete slab 10cm thick of mix M20 using 20mm and downsize graded granite metal using reinforcement 10mm dia steel at 150mm c/c both ways cost, transportation, hire charges of machinery, machine cutting the vertical face to get plain even surface complete with all leads and lift conveyance charges, labour charges inclusive of cost of all materials(data rate enclosed)	Sqm	6036.30	5666.40
11	Providing and laying precast drain cover slabs of 250mm thick of mix M20 using graded granite jelly 20mm downsize metal with steel reinforcement including form work, lift charges, curing and concrete finished surfaces on both sides etc. complete and as per drawing and direction of Engineer-in-charge of work (data rate enclosed)	Sqm	214.65	136.64
12	Providing and fixing Precast solid concrete kerb stones of size 450 x 200 x 400mm made out of CC 1:2:4 and finished with CM 1:3 plastering and finishing cutting etc. complete as per specifications and as per directions of Engineer in charge of work	Nos	7478.00	4560.00
13	Painting two coats after filling the surface with synthetic enamel paint in approved shades on new plastered concrete surfaces with materials, labour complete as per specifications and as per directions of the Engineer in charge of work	Sqm	3394.00	1516.50
14	Providing and laying heavy duty cobble stones interlock pavers, using cement and course sand for manufacture of blocks of approved size, shape and colour with a minimum compressive strength of 281 kg per sqm over 50mm thick sand bed (average thickness) and compacting with plate vibrator having 3 tons compaction force therby forcing part of sand underneath to come up in between joints, final compaction of paver surface joints into its final level, including cost of materials, labour and HOM complete as per specifications and as per directions of the Engineer in charge of work	Sqm	375.00	0.00
15	KSRRB M300-50 Scarifying Bituminous course 50mm to 75mm thick along with premix carpet/ surface dressing by Mechanical Means attached with scarifier without disturbing the base and stacking the debris including cost of all labour charges, HOM complete as per specifications MORTH V chapter 3	Sqm	1144.00	1144.00
16	Excavation for roadwork in all types of soil by mechanical means including cutting and loading to tippers, trimming bottom and side slopes,in accordance with requirements of lines, grades and cross sections, and transportation with a lead of 1.00 km and complete as per specifications and as per directions of the Engineer in charge of work.	cum	2549.16	2548.38
17	Construction of Granular Sub-Base Grading V as sub base and drainage layer by providing coarse stone aggregates of granite / trap / basalt material, mixing by mix in place method with rotavator at OMC, spreading in uniform layers with motor grader on prepared surface and and compacting with vibratory roller to achieve 98% proctor density, complete as per specifications.and as per directions of the Engineer-in-charge of the work.	cum	1274.58	1274.26
	Providing, laying, spreading and compacting crushed stone aggregates of granite / trap / basalt to wet mix macadam specifications including pre mixing the material			



Sl No	Description of Work	Unit	BOQ Qty	Executed Qty
18	with water at OMC in mechanical mix plant carriage of mixed method of upper to site, laying in uniform layers with paver in sub-base/base course on well prepared surface and compacting with vibratory roller to achieve the desired density complete as per specifications and as per directions of the Engineer-in-charge of the work	cum	1699.44	1699.60
19	Compaction of original ground by mecahnical means including filling in depression occuring during rolling including cost of all labour, HOM of machinery complete as per specificationand as per directions of the Engineer-in-charge of the work	Sqm	8497.20	8497.15
20	Providing and applying primer coat with S.S. bitumen emulsion on prepared surface of granular base such as WMM including cleaning of road surface and spraying primer at the rate of 0.60 kg / sqm using mechanical means complete as per specifications and as per directions of the Engineer-in-charge of the work	Sqm	13863.36	11531.90
21	Cleaning the existing black topped surface with brooms, soft brushes and finally dusting with old gunny bags and / or compressed air to receive bituminous treatment including cost of all materials, labour, HOM of machineries complete as per specifications and as per directions of the Engineer-in-charge of the work	Sqm	35947.30	18229.25
22	Providing and laying dense graded using 120 TPH capacity Asphalt Batch Mix plant with sensor paver GR-II (50 mm to 75 mm) with 4.5 % VG-30 Bitumen crushed aggregates of specified grading premixed with VG30 grade bituminous binder and transporting the hot mix to work site, laying to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction in all aspects complete as per specifications. Clause 505 of MORTH V revision	cum	693.20	576.64
23	Providing and applying tack coat using 80/100 grade bitumen(VG10) on the prepared black topped surfaces at 2.5 kg per 10 sqm, heating bitumen in boiler fitted with spray set (excluding cleaning of road surface) including cost of all materials, labour, HOM of machineries complete as per specifications and as per directions of the Engineer-in-charge of the work	Sqm	45073.60	24493.91
24	Providing and laying bituminous concrete 40mm thick with hot mix plant using 40-60 TPH capacity HMP with mechanical paver grading -II (30-45 mm) with 5.4 % of modified bituminous binder consisting of 4.97% of VG-30 bitumen (60/70 grade) and 0.43% of plastomeric thermoplastics (waste plastic) crused aggregates of specified grading premixed with bituminous binder and filler, transporting the hot mix to work site, laying with a paver finisher to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction in all aspects complete as per specifications. Clause 507 of MORTH V revision as per IRC SP-53-2015	cum	1700.35	979.64
25	Road Marking with Hot Applied Thermoplastic Compound with Reflectrising Glass Beads on Bituminous Surface:- Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads at 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35 standards specified. The finished surface to be level, uniform and free from streaks and holes complete as per specifications and as per directions of the Engineer-in-charge of the work	Sqm	2378.10	1027.85
	KSRRB MS00-35 Supply and installation of Moulded shank raised pavement markers made of polycarbonate and ABS (Acrylonitrile Butadience Styrene)			



Sl No	Description of Work	Unit	BOQ Qty	Executed Qty	Jun-20	Jul-20	Aug-20	Sep-20
26	[illegible] total internal reflection of the light entering the lens face and shall support a load of 16000 kg tested in accordance to specifications of category A of MORTH Circular No. RW/NH/33023/10-97- Do III Dt. 11.06.1997. The height, width and length shall not exceed 50mm, 100mm and 102 mm and with minimum reflective area of 13 sqcm on each side and the slope to the base shall be 35 degree. The strength of detachment of the integrated cylindrical shanks, (of diameter not less than 19 mm and height not less than 30 mm) from the body is to be a minimum value of 500 kg. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy resin based adhesive as per manufacturer's recommendation and complete as directed by the Engineer	Nos	3532.00	0.00				
27	Supply and fixing of Retro- reflective Single arrow Road Name Signboard of size 1600mm x 900mm made out of reflective sheeting conforming to Type XI stands of ASTM D 4956-09 & as per IRC 67-2012 for full back ground of blue colour & white letters and fixed over 4mm thick Aluminium composite material sheet having minimum 0.5 mm thick Aluminium skin on both sides with back side painted grey colour and fixed over back support frame SS Angle of 15 mm x 20 mm x 1.2 mm supported by 38mm OD stainless steel pipe all around in 304 grade and 2 Nos of vertical posts of 50mm OD stainless steel pipe of 202 grade firmly fixed to the ground by means of properly designed foundation of size 450mm x 450mm x 600mm in 1:1.5:3 ratio cement concrete. The background shall be blue in colour with letters and border in white, the item includes earthwork excavation, cost of all materials, loading,unloading, lead, lift, transportation etc. complete as per direction of Engineer in charge of work clause 6.9 of IRC 67-2012 for Type XI retro reflective sheeting from the sheeting manufacturer & a certified copy of test reports from an independent test laboratory confirming to clause 6.7 of IRC 67-2012 including outdoor weather exposure report for the retro reflective sheeting offered shall be submitted by the contractor for technical qualification in the tender	Sqm	4.32	0.00				
28	Direction and Place Identification Signs with more than 0.9 sqm Size Board:- Providing and erecting direction and place identification retro-reflectorised sign as per IRC:67 made of high intensity grade sheeting vide clause 801.3, fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on a mild steel single angle iron post 75 x 75 x 6 mm 2 Nos firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 45 x 45 x 60 cm, 60 cm below ground level as per approved drawing	Nos	23.49	0.00				

Planned%

Progress%

Contractor representative

Consultant representative

Asst. Executive Engineer

AE-3

Asst. Executive Engineer
Yelahanka Sub. Divison
(BBMP Ynk. Zn)
Yelahanka, Bangalore

ಸಹಾಯಕ ಕಾರ್ಯ ಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ,
ಬ.ಬ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106



Yelehanka Newtown 5th Phase

Sl. No.	DESCRIPTION	REVISION	BY	DATE

RELEASED FOR
- ☐ INFORMATION
- ☐ Draft D.P.R
- ☐ D.P.R
- ☐ TENDER
- ■ CONSTRUCTION

NOTES:
- PUBLIC DRAIN
- P.C.C ASPHALT ROAD

CLIENT:
BBMP
The Executive Engineer
Yelahanka Division
Bruhat Bengaluru
Mahanagara Palike (BBMP)
Bangalore - 560064

PREPARED BY:
138, Opp. G.K. Lavender Apartments,
Sai Leela Layout,
Kothnur Dinne, 8th Phase, J.P. Nagar,
Bangalore-560 076.

CONTRACTOR:
Sri R. Satosh
(M/s Sathya Constructions)

Asst. Executive Engineer
Yelahanka Sub Divrson
(BBMP Ynk. Zn)
Yelahanka, Bangalore

DESIGNED		Name of Work	Improvements roads and drains at Yelahanka new town 5th phase main and cross roads in chowdeshwari ward no-02, Yelahanka sub Division.
DRAWN			JOB NO:
CHECKED		PROJECT	Improvements to roads, drains and other developmental works in ward no- 02 & 03 under road developmen head in Chief Minister Nava Nagarothan grants of Yelahanka division. (Package-01)
DATE		TITLE	Plan For Ward no-2
SHEET		SCALE	NOT TO SCALE

2020

REVISION

R0





SURYA VAMSHI LAYOUT



Sl. No.	DESCRIPTION	REVISION	BY	DATE

RELEASED FOR
- INFORMATION
- DWG/DPR
- DPR
- TENDER
- CONSTRUCTION

NOTES
- FOR RCC DRAIN
- FOR ASPHALT ROAD

Asst. Executive Engineer
Yelahanka Sub. Divrson
(BBMP Ynk. Zn)
Yelahanka, Bengaluru

BBMP

The Executive Engineer
Yelahanka Division
Brihat Bengaluru
Mahanagara Palike (BBMP)
Bengaluru - 560064

CONSULTANCY SERVICES
230, Opp. G.R. Lavender Apartments,
Sai Enclave Layout,
Kothnur Dinne, 8th Phase, J.P. Nagar,
Bengaluru-560 076.

CONTRACTOR
Sri.K. Suresh
(M/s Sathya Construction)

DESIGNED		Name of Work	Formating Asphalting and improvement to drains at Nagenahalli and Surya vamshi layout and DRO layout, and Nagenahalli layout road and other roads and surrounding areas in ward no 62 & 63 under road development fund in Chief Minister Nava Nagarothan grants of Yelahanka division. (Package-01)
DRAWN			
CHECKED		PROJECT	Improvements to roads, drains and other developmental works in ward no 62 & 63 under road development fund in Chief Minister Nava Nagarothan grants of Yelahanka division. (Package-01)
DATE		TITLE	Plan For Ward no:2
SHEET		SCALE	NOT TO SCALE

JOB NO.
2020
REVISION
NO



ISRO LAYOUT



ISAQ LAYOUT

SUSHILAMMA LAYOUT



BALAJI LAYOUT

Sl. No.	DESCRIPTION	REVISION	BY	DATE

RELEASED FOR
- ☐ INFORMATION
- ☐ DWG FOR PR
- ☐ DPR
- ☐ TENDER
- ☑ CONSTRUCTION

NOTES
- FOR RCC DRAIN
- FOR ASPHALT ROAD

CLIENT
BBMP
The Executive Engineer
Yelahanka Division
Bruhat Bangalore
Mahanagara Palike (BBMP)
Bangalore - 560064

CONSULTANT
SUDHA CONSULTANCY
230, Opp. G.R. Tavarekere Apartments,
Sai Baba Layout,
Kothnur Dinne, 8th Phase, J.P. Nagar,
Bangalore-560 078.

CONTRACTOR
Sri R. Subash
(M/s Sathya Constructions)

DESIGNED		Name of Work	Improvements to roads and drains at Puttenahalli ward,sushilamma layout cross and cross roads and Sushilamma layout, ISAQ layout, main and other roads and surrounding areas in showdeshwari ward no:02, Yelahanka sub Division.
DRAWN		REPORT	Improvements to roads, drains and other developmental works in ward no- 02 & 03 under road development head in Chief Minister Nivu Nagarothana grants of Yelahanka Division. (Package-01)
CHECKED		TITLE	Plan For Ward no:2
DATE		SCALE	NOT TO SCALE
SHEET			

JOB NO: 2020
REVISION
NO

Asst. Executive Engineer
Yelahanka Sub. Divison
(BBMP Ynk. Zn)
Yelahanka, Bangalore



BALAJI LAYOUT

PRAKRUTHI LAYOUT

SAI VIHAR LAYOUT

Sl. No.	DESCRIPTION	REVISION	BY	DATE

RELEASED FOR
- INFORMATION
- DraftDPR
- DPR
- TENDER
- CONSTRUCTION

NOTES
- FOR RCC DRAIN
- FOR ASPHALT ROAD

CLIENT
BBMP
The Executive Engineer
Yelahanka Division
Bruhat Bangalore
Mahanagara Palike (BBMP)
Bangalore - 560064

PMC CONSULTANT
MYSURU Y CONSULTANCY
Sai Enclave Layout,
Kuthnur Dinne, 8th Phase, J.P. Nagar,
Bangalore-560 078.

CONTRACTOR
Sri R. Sateesh
(M/s Sathya Constructions)

DESIGNED		Name of Work	Improvements to roads and drains at Kanchenahalli layout main and cross roads and Prakruthi layout main and cross roads and surrounding areas in chowdeshwari ward no-02, Yelahanka sub Division.
DRAWN			
CHECKED		PROJECT	Improvements to roads, drains and other Developmental works in ward no- 02, 8, 03 under road development head in Chief Minister Nava Nagarothan grants of Yelahanka division. (Package-01)
PAID		TITLE	Plan For Ward no-2
SHEET		SCALE	NOT TO SCALE

JOB NO: 2020

REVISION: R0

Asst. Executive Engineer
Yelahanka Sub. Divison
(BBMP Ynk. Zn)
Yelahanka, Bangalore



SYNIKA VIHARA LAYOUT



ISRO LAYOUT CONNECTING ROAD

SAI VIHARA LAYOUT

Asst. Executive Engineer
Yelahanka Sub. Divison
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Sl. No.	DESCRIPTION	REVISION	BY	DATE

RELEASED FOR: ☐ INFORMATION ☐ Draft D.P.R ☐ D.P.R ☐ TENDER ☒ CONSTRUCTION

NOTES: — FOR RCC DRAIN — FOR ASPHALT ROAD

CLIENT: BBMP
The Executive Engineer
Yelahanka Division
Bruhat Bangalore
Mahanagara Palike (BBMP)
Bangalore - 560064

CONSULTANTS: SURVEYOR: Sri R. Suresh (M/s Sriliya Constructions)

DESIGNED		Name of Work	Improvements to roads and drains at synika vaihara hadonate balance main and cross roads, satyamurthi layout balance main and cross roads and surrounding areas in chowdeshwari ward no-02, Yelahanka sub Division.
DRAWN			
CHECKED		PROJECT	Improvements to roads, drains and other developmental works in ward no. 02 & 03 under road developments head at Chief Minister Sree Nagarathna grants of Yelahanka division. (Package-01)
DATE		TITLE	Plan For Ward no-2
SHEET		SCALE	NOT TO SCALE

JOB NO: 2020
REVISION: R0



AE-3

AE-02

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ.
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-10ನೇ

SL No	DESCRIPTION	REVISION	BY	DATE

RELEASED FOR
- ☐ INFORMATION
- ☐ Draft DPR
- ☐ DPR
- ☐ TENDER
- ■ CONSTRUCTION

NOTES
- FOR RCC DRAIN
- FOR ASPHALT ROAD

CLIENT
BBMP
The Executive Engineer
Yelahanka Division
Bruhat Bengaluru
Mahanagara Palike (BBMP)
Bengaluru - 560064

PMC CONSULTANT
M/s GODEY CONSULTANCY SERVICES
230, Opp. C.R. Lavender Apartments,
5th Block-a Layout,
Kothnur Dinne, 8th Phase, J.P. Nagar,
Bengaluru-560 076.

CONTRACTOR
Sri B. Ashwath
(M/s Sathya Constructions)

DESIGNED		Name of Work	Improvements to roads and drains at SFS 208 and Surrounding areas in wards no 03 yelahanka satellite town Sub division.
DRAWN			JOB NO
CHECKED		PROJECT	Improvements to roads, drains and other developmental works in ward no- 02 & 03 under road development head in Chief Minister Nava Nagarothan grants of Yelahanka division. (Package-01)
DATE			2020
SHEET		TITLE	Plan For Ward-2
		SCALE	NOT TO SCALE
			REVISION
			R0